PREPARED DIRECT TESTIMONY OF TERRY N. TATE ON BEHALF OF CENTRAL ILLINOIS LIGHT COMPANY DOCKET NO. 00-0699

00-0699

CILCO

1.0

- 1 Q1: Please state your name and business address.
- 2 A1: Terry N. Tate, 300 Liberty Street, Peoria, Illinois 61602 3-7-01
- 3 Q2: By whom are you employed and in what capacity?
- 4 A2: I am employed by Central Illinois Light Company (CILCO) as its System Line Clearance
- Administrator. In that position, I have responsibility for the management of vegetation as
- it affects CILCO's transmission and distribution lines throughout the Company's service
- 7 area.

18

19

- 8 Q3: Please describe your educational background and work experience.
- A3: I graduated from Southern Illinois University in 1973 with a Bachelor of Science Degree 9 in Forestry. In 1990, I became and still am a Certified Arborist through the Illinois 10 Arborist Association, the State chapter of the International Society of Arboriculture. To 11 obtain this certification, it is necessary to have a minimum number of years of experience 12 in arboriculture and pass a written examination. To retain the certification, I am required 13 to earn continuing education credits in Arboriculture. I joined CILCO in 1979 and have 14 worked in the Line Clearance area within the Electric Operations Department since that 15 16 time. I did vegetation management work in the field for the first eight years after I joined CILCO, and was promoted to Forestry Field Supervisor in the Peoria District in 1988. 17

My responsibilities at that time included vegetation management for the distribution

system in the Peoria District, plus the transmission system Company-wide. I was

promoted to my present position in 1992.

Q5:

A5:

21 Q4: What is the purpose of your prepared direct testimony in this proceeding?

A4: On November 1, 2000, the Commission entered an order requiring CILCO to take certain actions with respect to vegetation management within the Company's service territory.

CILCO filed an application for rehearing and that application was granted. It is my understanding that the Hearing Examiner has asked CILCO to address the matters covered in the Commission's Order with which CILCO disagrees. I will respond to the Hearing Examiner's request by describing generally some of the areas of disagreement. I will also indicate the areas on which I believe Staff and CILCO can reach agreement for the entry of a revised order.

Please briefly describe the points in the Order with which CILCO disagrees?

The Company disagrees with the general tenor of the Order, which attempts to describe CILCO as a total non-performer with respect to tree trimming, and with no redeeming virtues. During 1998, CILCO's service area experienced one of the worst storms ever, resulting in widespread damage to trees with resulting downed power lines. Although CILCO used heroic efforts, including the use of many crews from other utilities, the damage was so enormous and widespread and so many customers had been left without power, that it took many days to completely restore power to all customers. While the Commission's rules refer to tree-caused damage as controllable interruptions, it is not reasonable to classify the outages during an unusually fierce storm as controllable interruptions. Nor is it reasonable to consider the statistics from a year in which such a huge storm occurred as an appropriate indicator of CILCO's outage rate in relation to that of other utilities which did not experience such a huge storm.

The Order states that Staff toured CILCO's system in the Springfield area. Because City Water Light & Power primarily serves the City of Springfield, it is difficult to distinguish between CILCO's distribution lines and those of City Water Light & Power. It is not possible to tell from the photographs included in the Staff report whether the lines pictured are CILCO's or someone else's. The Order also states that Staff did not see any tree trimming activity in the areas visited. However, I know from CILCO's records that during the time period covered by Staff's report, CILCO had three crews working in Springfield, two in Lincoln, one in Homer, and fourteen in the greater Peoria area. Because Staff did not see these crews, it does not mean that there was no tree trimming activity in progress. The Order points to CILCO's change from a three-year to a four-year trim cycle, and states that CILCO provided no reason for this change. Yet the Order supports a four-year trim cycle. With respect to the ordering provisions, does CILCO have any disagreements with the findings and ordering provisions? Yes. Paragraph 7 of the Findings is the principal part of the Order. In subparagraph A of paragraph 7, the Order finds that CILCO should trim trees in accordance with the provisions of 83 III. Adm. Code 305, but adds requirements to consider the rights of property owners, previous pruning history, tree health, tree aesthetics and efficient work production. These provisions are vague and difficult to implement in a practical working environment. Moreover, it is my understanding that if a property owner or a municipality or other governmental unit believes CILCO has failed to consider properly the property owner's rights or tree health or aesthetics, CILCO could be exposed to a complaint

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

Q6:

A6:

proceeding or even a lawsuit seeking damages and attorneys' fees.

67 Q7: In your opinion, how should the finding read?

68 A7: A more workable finding would be the following:

Begin immediately to trim trees and otherwise manage vegetation as required by 83 Ill. Adm. Code 305 to provide maximum practical vegetation-to-conductor clearance, utilizing line clearance practices that are arboriculturally sound and recognized as a utility industry standard by professional organizations such as the International Society of Arboriculture and the National Arborist Association.

Subparagraph C of Finding 7 states that CILCO must maintain a four-year trimming cycle for the indefinite future. CILCO has already agreed to achieve a four-year cycle by December 31, 2002, and to attempt to maintain a four-year cycle after that, but there could be reasons for not doing that in the future. Subparagraph C should contain a provision that CILCO should use reasonable efforts to maintain a four-year cycle thereafter.

Subparagraph D imposes significant record keeping and reporting burdens upon the Company. We plan to have thirty crews working in the field during the next two years, and the paperwork will be overwhelming. In discussions with Mr. Buxton, I was advised that these records are required to be maintained internally only, and kept available for Staff inspection. The Order should specify this. In addition, the record-keeping requirement, at least the part relating to disputes with property owners, should be limited to the same two-year period as Subparagraph F.

Subparagraph E requires CILCO to inspect 10% of the tree trimming work performed by contract crews within 60 days after the work is completed. This provision should be

89		clarified to provide that 10% of the line miles should be inspected. It would not be
90		reasonable to attempt to do an inspection based upon the number of trees actually
91		trimmed. This provision should also terminate on December 31, 2002.
92	Q8:	Are there other issues related to the order that CILCO finds troublesome?
93	A8:	Yes, I have been advised by legal counsel that there are certain legal issues that may be
94		addressed in briefs, but I am hopeful the parties can come to some mutual agreement and
95		briefs will not be required.
96	Q9:	Is CILCO willing to stipulate to an entry of an order that meets the requirements you
97		have outlined above?
98	A9:	Yes.
99	Q10:	Can you provide the language that CILCO would find acceptable in such a stipulation?
100	A10:	Yes. CILCO believes a reasonable stipulation that meets the primary goal of CILCO
101		being on a four year tree trimming cycle by December 2002 would be as follows:
102 103 104 105 106		1. Begin immediately to trim trees and otherwise manage vegetation as required by 83 Ill. Adm. Code 305 to provide maximum practical vegetation-to-conductor clearance. This will be done utilizing line clearance practices that are arboriculturally sound and recognized as a utility industry standard by professional organizations such as the International Society of Arboriculture and the National Arborist Association.
107 108 109		2. Continue the accelerated Line Clearance program started by the Company in 2001, securing additional contracted workforce to raise crew levels to achieve a four-year tree trimming cycle by December 31, 2002.
110 111		3. After achieving a four-year tree trimming cycle, use all reasonable effort to continue trimming trees on a cycle of no longer than four years.
112 113 114		4. Keep accurate records of its Line Clearance program, which will be available to the Commission Staff upon request. The records will be maintained in accordance with the following:
115 116		 a. Organize tree trimming records by circuit name; b. Include records of beginning and ending work dates for two cycles; c. Include records describing the kind of work, i.e. circuit trimming and hot spot.

118			trimming for two cycles;
119			d. Include records of disputes with property owners who oppose CILCO's right
120			to trim for the two years ending December 31, 2002.
121		5.	Conduct an inspection of ten percent of the line miles on assigned circuits
122			within sixty days after the circuit is completed, through December 31, 2002.
123		6.	File quarterly reports, signed by a CILCO corporate officer, with the
124			Commission's Chief Clerk with copies to the Energy Division Staff, in accordance
125			with the following:
126			a. File the first quarterly report by March 1, 2001. Explain the
127			percentage and number of distribution circuits trimmed since January 1, 1999
128			through December 31, 2000. Provide proposed quarterly schedules and budgets
129			to trim the remainder of the distribution circuits by December 31, 2002
130			recognizing that schedules are subject to change based on changes in the
131			vegetative conditions of the system and tree related outage information during
132			said time frame. Include both incremental and cumulative schedules and
133			budgets. File subsequent quarterly reports that explain CILCO's progress toward
134			completing tree trimming on the remaining circuits. Divide each calendar year
135			into four quarters. File each quarterly report within 30 days after the end the
136			quarter. Compare the number of completed and in progress distribution circuits
137			and the expenses during the quarter to the proposed work schedules and budgets
138			from the first quarterly report. Include cumulative comparisons. Show all
139			schedule and budget changes made during the quarter. Include the results of all
140			inspections of completed distribution circuits.
141			b. Stop filing quarterly reports after reporting the achievement of a four-
142			year tree trimming cycle. State in the last quarterly report that CILCO will file
143			no more quarterly reports. Confirm that CILCO has a record keeping system in
144			place that satisfies the Commission's order.
145	Q11:	D	oes this complete your prepared direct testimony?

146 All: Yes, it does.

Defrees & Fiske

Law Offices

W. Michael Seidel

200 South Michigan Avenue, Suite 1100 Chicago, Illinois 60604-2480 Donald Defrees, 1915-1968 Kenneth M. Fiske, 1928-1978

Founded 1884

Telephone (312) 372-4000 Facsimile (312) 939-5617

January 23, 2001

4230 0049(R)

Ms. Donna M. Caton Chief Clerk Illinois Commerce Commission 527 E. Capitol Avenue Springfield, IL 62701

Re:

III.C.C. Doc. 00-0699

Dear Ms. Caton:

On behalf of Central Illinois Light Company, I have enclosed for filing in the above-referenced docket an original and three copies of a Report of Direct Testimony of Terry N. Tate in connection with the above-referenced docket.

I would appreciate it if you would acknowledge receipt and filing of the enclosures by stamping and returning one copy of this letter.

A copy of the Direct Testimony has been mailed to all persons on the attached Service List, and also has been e-mailed to all parties.

Very truly yours,

W. Michael Seidel

WMS:ccm

Enclosures

cc:

Service List (w/encl.)

Bcc:

Nicholas T. Shea (w/encl.)

SERVICE LIST DOCKET NO. 00-0699

Examiner John Albers Illinois Commerce Commission 527 East Capitol Avenue Springfield, IL 62701

Joseph T. Clennon Office of General Counsel Illinois Commerce Commission 527 East Capitol Avenue Springfield, IL 62701

Janis E. Von Qualen Illinois Commerce Commission 527 East Capitol Avenue Springfield, IL 62701

Jim Spencer Illinois Commerce Commission 527 East Capitol Avenue Springfield, IL 62701

Carrie J. Hightman, Esquire Schiff, Hardin & Waite 6600 Sears Tower Chicago, IL 60606-4673

Randy Clemens Illinois Power Company 500 South 27th Street Decatur, IL 62525